



*Summer*

**Summer**<sup>®</sup>



---

## Table of Contents

Brand Scissors.....	2
Brand Scissors.....	3
Button Hole Scissors .....	3
Tailleur's Scissors .....	4
Ring Finger Scissors.....	8
Universal Scissor .....	9
Pinking Scissor .....	10
Sewing Scissors .....	11
Pocket scissor .....	14
Left Handed Scissor .....	15
Weavers scissor .....	17
Jomro Scissors .....	18
Tailleur's Scissors .....	18
Ring Finger Scissors.....	19
Universal Scissor .....	20
Special Scissors .....	22
Left Hand Scissor .....	23
Tweezers .....	24
Grinding Machines .....	26

## Brand Scissors



### Robuso Scissors "Elastic"

Model: 9444/1

The handles are japanned black and golden. One edge is provided with fine teeth. Suitable for natural fibres, cotton, woolen fabrics, knitwear, natural silk, upholstery fabrics, brocaded material, etc.

Elastic Tailors' Scissors, the blades are outside nickel plated and chromiumplated, the insides of the blades are polished and chromiumplated.

## Brand Scissors / Button Hole Scissors



**Robuso Heavy ribbon scissor**

Model: 8965/1

Heavy ribbon-, belt and lace scissors, with strong blades and diagonal eyes, which conform anatomically the fingers, high gloss nickel-plated, straight blades. Length 13 cm, blades 4,6 cm.



**Robuso Tailor button hole scissor**

Model: 8958

Tailor's button hole and weaver's scissors, high gloss nickel-plated, with strong and short blades, for small and hard cuts. Length 26,5 cm, blades 10 cm.



**Robuso Tailor scissor**

Model: 8964/1

Tailor's button hole and weaver's scissors, high gloss nickel-plated, with strong and short blades, for small and hard cut, straight. Length 12 cm, blades 3,5 cm.



**Robuso weaver scissor**

Model: 8963

Pinch- and weaver's scissors, high gloss nickel-plated, with strong pointed blades, for small and hart cuts. Length 13 cm, blades 4 cm.



## Brand Scissors / Tailleur's Scissors



### Cutting scissors of special steel

Model: 9424

Cutting scissors of special steel, double forged, rust protected blades, with adjustable patent hinge, handles especially wide and adapted to hand, varnished, very solid type, pretentious.



### Fiskars Pro-Tailor's scissor

Model: 9974

Pro-Tailor's scissors, with adjusting screw, also for thick fabrics, out of razor-blade-steel. Length 24,0 cm, blade 11,0 cm.



### Fiskars tailor's scissors

Model: 9966

Tailor's scissors, with plastic handles, blades stainless, pointed/blunt. Length 21,0 cm, blade 10,0 cm.



### Fiskars trimmer scissor

Model: 9976

Trimmer scissors, of stainless refined steel, thermoplastic and anatomic handles.



### Mundial textile scissor

Model: 9978/2

Textile scissors for cutting more than one fabric layer, red varnished handles, one blade razorsharp, other blade with micro-teeth, blades nickelplated. Length 15,5 cm, blade 7,0 cm.



#### Robuso Aramid scissors

Model: 8805

Heavy tailor' shears, a strong modell with 2 taper slender and pointed blades. Length 26,5 cm, blade 10 cm. The blades are adjusted accurately to enable cutting over the edge even to the extreme points. One blade is micro serrated to effect an easy cutting of medium and heavy weight ARAMID fabrics.



#### Robuso Cutting scissors

Model: 9423

Cutting scissors, blades blank, polished (not nickel-plated), both, blades pointed, slim and light. Especially large longeye, strengthened lever action, which causes an extraordinary high cutting force up to the points. Length 20,5 cm, blade 8,0 cm.



#### Robuso Multi-purpose scissors

Model: 9994

Multi-purpose scissors, blades nickel-plated, handles varnished, You can do short and strong cuts by the long handles and favourable lever transmission. Length 20,0 cm, blade 5,0 cm.



#### Robuso Scissor "Proton"

Model: 8967

Scissor with special coating on the whole surface, one blade micro-serrated, special hard-coated blades for trimming light to medium Aramide and Dyneema material. Length 26,0 cm, blade 10,0 cm.



#### Robuso Scissors "Elastic"

Model: 9444/1

The handles are japanned black and golden. One edge is provided with fine teeth. Suitable for natural fibres, cotton, woolen fabrics, knitwear, natural silk, upholstery fabrics, brocaded material, etc.

Elastic Tailors' Scissors, the blades are outside nickel plated and chromiumplated, the insides of the blades are polished and chromiumplated.



#### Robuso Special scissor Aramid

Model: 9940

Aramid scissors

Special model, with one extremely long handle which offers more space for the hand. The blades are polished, not nickelplated, with black japanned handles. One blade is micro serrated to effect an easy cutting of light and medium weight ARAMID fabrics. This construction increases the cutting ability of the points of the blades and over the whole cutting edges.



#### Robuso Tailors scissor "Elastic"

Model: 9439/1

Tailor's scissor with an inner spring, plain ground blades, outside of blades nickel plated, inside finely polished, black/golden japanned handles.



#### Robuso Weaver scissor

Model: 9941/1

Thread- and Weaver-scissors, with long, strong, pointed blades. Blades nickelplated, handles black japanned. Suitable for cutting ARADMID and GLASS material during laminating or moulding. Length 15,4 cm, blades 5 cm.



#### Zwilling Scissors

Model: 8978/1

Tailor's scissors out of refined steel, stainless, plastic handles.



#### Zwilling scissors

Model: 8977/1

Tailor's scissors, nickel-plated, pointed.

## Brand Scissors / Ring Finger Scissors



### Fiskars ring finger scissors

Model: 9973

Ring finger scissors, always sharp, out of stainless scissors steel. Length 12,0 cm, blade 2,8 cm.



### Replacement blades "Kai"

Model: 9432/1

Blades 3,2 cm



### Ring finger scissor "Kai"

Model: 9432

Length 11,4 cm, blades 3,2 cm



### Robuso ring finger scissor

Model: 9995

Ring finger scissors, nickel-plated, high quality, straight. Length 11,4 cm, blades 3,2 cm.

## Brand Scissors / Universal Scissor



Textilia Multi purpose scissor

Model: 8922

Multi purpose scissor, pointed, length 21 cm, blade 7,2 cm.

## Brand Scissors / Pinking Scissor



### Fiskars Pinking Scissors

Model: 9975

Pinking scissors, out of stainless scissors steel, length 25,0 cm, blade 10,0 cm.



### Kai Pinking Scissors

Model: 9434

Pinking scissors, out of stainless scissors steel, length 8".



### Robuso Scissors zig-zag

Model: 9437/6

Pinking scissors, blades stainless, with plastic handles.



### Textilia Zig-Zag scissor

Model: 9477

Zig-Zag scissor, length 14 cm.

## Brand Scissors / Sewing Scissors



Fiskars embroidery scissor

Model: 9968

Embroidery scissors, with plastic handles, blades stainless. Length 13,0 cm, blade 5,0 cm.



Fiskars tesoura multiusual

Model: 9969

Multiple scissors, with plastic handles, blades stainless. Length 13,0 cm, blade 5,0 cm.



Kai embroidery scissor

Model: 9436

Embroidery scissors, with plastic handles, blades stainless. Length 5,5".



Robuso Scissors curved

Model: 9990/1

Textile scissors, nickel-plated, with long blades, both blades pointed/curved.



Robuso Scissors multi-purpose

Model: 9996

Multi-purpose scissors, especially stable type. Screwed blades of high quality steel guarantee a hardness of abt. 60° Rockwell. Length 31,0 cm, blade 6,0 cm.





#### Robuso Scissors straight

Model: 9990/3

Textile scissors, nickel-plated, with long blades, both blades pointed/straight.



#### Robuso Sewing Scissor

Model: 8956/1

Sewing scissors, high gloss nickelplated, with same scissors eyes, straight.



#### Robuso Sewing Scissors

Model: 8957/2

Sewing scissor, high gloss nickelplated, with inclined scissor eyes, straight.



#### Robuso Textile scissor curved

Model: 9988/1

Textile scissor, with long handles, curved blades with rounded tips, inner surfaces precision-finish ground, completely mirror-finish nickel-plated.



#### Robuso Textile scissor straight

Model: 9987/1

Textile scissor, with long handles, straight blades with rounded tips, inner surfaces precision-finish ground, completely mirror-finish nickel-plated.

**Robuso Textile scissors curved**

Model: 9992/2

Textile scissors, nickel-plated with long blades, pointed/bent, curved.

**Textile scissors straight**

Model: 9991/1

Textile scissors, nickel-plated, pointed, straight.


## Brand Scissors / Pocket scissor



Robuso Pocket scissor

Model: 8959/1

Pocket scissors, nickel-plated, with same scissor eyes.



Textilia Pocket scissor

Model: 8925

Pocket scissor, length 10,5 cm, blade 4 cm.

## Brand Scissors / Left Handed Scissor



### Fiskars tailor scissors

Model: 9966/1

Tailor's scissors, with plastic handles, blades stainless, pointed/blunt, for left handers. Length 21,0 cm, blade 10,0 cm.



### Mundial textile scissor

Model: 9978/1

Textile scissors for cutting more than one fabric layer, red varnished handles, one blade razorsharp, other blade with micro-teeth, blades nickelplated. Length 15,5 cm, blade 7,0 cm. For left handers.



### Robuso Cutting scissors lefthanders

Model: 9444/11

Cutting scissors, blades blank, both, blades pointed, slim and light. Especially large longeye, strengthened lever action, which causes an extraordinary high cutting force up to the points. For lefthanders.



### Robuso Cutting scissors lefthanders

Model: 9444/13


Cutting scissors, blades blank, both, blades pointed, slim and light. Especially large longeye, strengthened lever action, which causes an extraordinary high cutting force up to the points. For lefthanders.

**Robuso Scissors "Elastic" left hand**

Model: 9444/9

"Elastic" Tailors' Scissors, the blades are outside nickel plated and chromiumplated, the insides of the blades are polished and chromiumplated. For left handers. The handles are japanned black and golden. One edge is provided with fine teeth. Suitable for natural fibres, cotton, woolen fabrics, knitwear, natural silk, upholstery fabrics, brocaded material, etc.

## Brand Scissors / Weavers scissor



Textilia Weavers scissor, blunt/straight

Model: 8926/1


Weavers scissor, blunt/straight, length 11,5 cm, blade 4,2 cm.



Textilia Weavers scissor, pointed/straight

Model: 8927


Weavers scissor, pointed/straight, length 16 cm, blade 5,7 cm.



Textilia Weavers scissor, sturdy model

Model: 8928/2

Weavers scissor, sturdy model, blunt, length 12,8 cm, blade 3,8 cm.



Textilia Weavers scissor, sturdy model

Model: 8928/1

Weavers scissor, sturdy model, pointed/strait length 13 cm, blade 4 cm.

## Jomro Scissors / Tailleur's Scissors



Tailors scissor

Model: 8803


Tailor's scissors, handles varnished, length 22,0 cm.



Tailors scissor

Model: 9413

Tailors scissors, blades bright, grips varnished, with screw, length 18,0 cm, blade 7,5 cm.



Tailors scissor

Model: 9433/3

Tailors scissors, nickel-plated, with large eye, length 18,0 cm, blade 8,5 cm

## Jomro Scissors / Ring Finger Scissors



Ring finger scissor straight

Model: 9427

Ring finger scissors, stainless, with plastic handles, straight, length 11,5 cm, blade 2,5 cm.



Ring finger scissors bent

Model: 9446

Ring finger scissors, nickel-plated, ordinary quality, bent , length 11,5 cm, blade 2,5 cm.



Ring finger scissors straight

Model: 9445

Ring finger scissors, nickel-plated, ordinary quality, straight, length 11,5 cm, blade 2,5 cm.




## Jomro Scissors / Universal Scissor



### Household scissor

Model: 9448/1

Household scissors, nickel-plated, ordinary quality, length 13,0 cm, blade 5,0 cm.



### Industry scissors

Model: 8800

Industry scissors, pointed, length 20,0 cm.



### Knitters scissors

Model: 9443

Knitters scissors, nickel-plated, blades pointed/blunt, length 10,5 cm, blade 3,7 cm.



### Sewing scissor

Model: 9985

Sewing scissors, nickel-plated, both blades pointed, straight, length 15,5 cm, blade 6,5 cm.

**Textile scissor**Model: 9440

Textile scissor, nickel-plated, both blades pointed, straight, length 10,5 cm, blade 3,1 cm.

**Textile scissor curved**Model: 9441

Textile scissor, nickel-plated, both blades pointed, curved, length 10,5 cm, blade 3,1 cm

## Jomro Scissors / Special Scissors



### Multi-purpose scissor

Model: 8801

Multi-purpose scissors, handy shaped, length 23,0 cm.



### Paper scissor

Model: 9449


Scissors for cutting paper, nickelplated, blades pointed, length 25,5 cm, blade 14,0 cm.



### Pocket scissors

Model: 9003

Pocket scissors, foldable, blades of stainless steel, plastic handles, Measurements: open 10,0 cm, blade 3,0 cm, folded: 8,5 cm.



### Scissors for universal use

Model: 8810

Scissors for universal use, to cut plastic and rubber. Easy to use as tube scissor, cable- and insulating scissor, length 22,0 cm.

## Jomro Scissors / Left Hand Scissor



Ring finger scissor

Model: 9961

Ring finger scissors, nickel-plated, for left handers, straight.



Tailors scissors

Model: 9426

Tailors scissors, blades bright, grips varnished, with screw, for left handers, length 26,0 cm, blade 12,0 cm.

## Tweezers



### Burling iron

Model: 9232

Burling iron, nickel-plated, edges raw, abt. 115 mm long, abt. 14 mm wide, material thickness abt. 1 mm.



### Burling iron

Model: 9231

Burling iron, ground points, abt. 140 mm long, abt. 16 mm wide, material thickness abt. 1,25 mm.



### Knitter's tweezer

Model: 9215

Knitter's Tweezers, nickel-plated, point slightly bent, abt. 12 mm long, tightened, with guide pin, abt. 150 mm total length.



### Knitters tweezer

Model: 9208

Knitter's Tweezers, nickel-plated, point bent, abt. 26 mm long, tightened, with guide pin, total length abt. 145 mm.



### Special tweezer

Model: 9203

Special tweezers, nickel-plated, abt. 140 mm total length, length of tweezers abt. 105 mm, with hook abt. 4 mm at the end.



### Tweezer

Model: 9214

Tweezers, point slightly bent, abt. 15 mm long, with guide pin, total length abt. 150 mm, especially suitable for the stocking industry.



### Tweezer

Model: 9213

Tweezers, straight, with guide pin, abt. 150 mm length.



#### Tweezer

Model: 9212

Tweezers, 90 mm length, straight, pointed.



#### Tweezer

Model: 9209

Tweezers with bent plastic point, total length 145 mm.



#### Tweezer with pin

Model: 9206

Tweezers with pin, nickel-plated, end of pin with groove and hook, special type for linking machines, point tightened, total length abt. 180 mm.



#### Tweezers

Model: 9205

Tweezers, nickel-plated, point bent, abt. 33 mm long, filed and tightened, abt 120 mm total length.



#### Tweezers

Model: 9202

Tweezers, straight, nickel-plated, with guide pin, points tight, abt. 120 mm long.



#### Weavers tweezer

Model: 9210

Weaver's Tweezers, straight, nickel-plated, points tight, abt. 160 mm length.

## Grinding Machines



### Knife and Scissor Grinding Machine Modell 82/100

Model: 6719

Knife and Scissor Grinding Machine. compact, portable grinding machine for grinding knives and scissors. The Grinding spindle speed approx. 2,850 r.p.m. Left-hand grinding station: Cup grinding wheel no. 51/2 Right-hand grinding station: Cup grinding wheel no. 51/6 Standard motor: Alternating current 220 V, 50 c/s, 0.19 kWlanged grinding wheels are directly mounted on the motor shaft.



### Scissor Grinding Machine Modell 111

Model: 6734

Scissor Grinding Machine Model. All type of scissors (e. g. cloth cutting scissors, embroidery scissors, pinkers, left-handed scissors, household scissors, nail scissors, hairdresser's scissors) are tightly fixed and need not to be disassembled. The easily movable grinding arm guarantees secure guiding. Thus ensuring no displacement during grinding. The cutting angle may be adjusted from 0 - 60°. Grinding and dressing is performed in one fixture.

Lefthand side: grinding

Righthand side: dressing.

Result: smoothly cutting scissors which often cut better than new ones. A scissor grinding machine not only for the amateur but also for the professional.



### Universal Knife Grinding Machine Modell 68/1

Model: 6717/1

Universal Knife Grinding Machine Table mounted model with two grinding stations and reversing switch for forward and reverse motion, precision swing arm with vernier and robust grinding shaft bearings. The left-hand grinding station (cup grinding wheel) is used for grinding knives with the appropriate grinding equipment, whilst the right-hand grinding station is available for free-hand grinding and polishing.

