



*Jumru*

**Jumru**®



---

## Table of Contents

Tweezers ..... 2

**Tweezers**



**Burling iron**

Model: 9232

Burling iron, nickel-plated, edges raw, abt. 115 mm long, abt. 14 mm wide, material thickness abt. 1 mm.



**Burling iron**

Model: 9231

Burling iron, ground points, abt. 140 mm long, abt. 16 mm wide, material thickness abt. 1,25 mm.



**Knitter's tweezer**

Model: 9215

Knitter's Tweezers, nickel-plated, point slightly bent, abt. 12 mm long, tightened, with guide pin, abt. 150 mm total length.



**Knitters tweezer**

Model: 9208

Knitter's Tweezers, nickel-plated, point bent, abt. 26 mm long, tightened, with guide pin, total length abt. 145 mm.



**Special tweezer**

Model: 9203

Special tweezers, nickel-plated, abt. 140 mm total length, length of tweezers abt. 105 mm, with hook abt. 4 mm at the end.



**Tweezer**

Model: 9214

Tweezers, point slightly bent, abt. 15 mm long, with guide pin, total length abt. 150 mm, especially suitable for the stocking industry.



**Tweezer**

Model: 9213

Tweezers, straight, with guide pin, abt. 150 mm length.

**Tweezer**

Model: 9212

Tweezers, 90 mm length, straight, pointed.

**Tweezer**

Model: 9209

Tweezers with bent plastic point, total length 145 mm.

**Tweezer with pin**

Model: 9206

Tweezers with pin, nickel-plated, end of pin with groove and hook, special type for linking machines, point tightened, total length abt. 180 mm.

**Tweezers**

Model: 9205

Tweezers, nickel-plated, point bent, abt. 33 mm long, filed and tightened, abt 120 mm total length.

**Tweezers**

Model: 9202

Tweezers, straight, nickel-plated, with guide pin, points tight, abt. 120 mm long.

**Weavers tweezers**

Model: 9210

Weaver's Tweezers, straight, nickel-plated, points tight, abt. 160 mm length.

