Textiltechnik / Textile Technology / Technique Textile / Técnica Têxtil

-1/







Table of Contents



Spot Removel Gun



Spot Removal Gun KREBS TEX-2

Model: 9911/2

Electric Spot Removal Gun KREBS TEX-2

Spot removal with fabrics and garments in a fraction of time. Also suitable for the application of adesive, slide, grease- and fixing agents, degreasers, machine cleaners etc. Advantages:No price-reductions, no discounts or depreciation because of spots. Fast and aconomical .With Varia-nozzle (continiously adjustable from needle jet to mist - matching to the treated fabric .Maximum mechanical effect with an optimal solvent power due to a pulsating high pressure jet.Easy handling - almost no training needed Maintenance-free when applied appropriately.:No price-reductions, no discounts or depreciation because of spots. Fast and aconomical .With Varia-nozzle (continiously adjustable from needle jet to mist - matching to the treated fabric .Maximum mechanical effect with an optimal solvent power due to a pulsating high pressure jet.Easy handling - almost no training needed fabric .Maximum mechanical effect with an optimal solvent power due to a pulsating high pressure jet.Easy handling - almost no training needed fabric .Maximum mechanical effect with an optimal solvent power due to a pulsating high pressure jet.Easy handling - almost no training needed Maintenance-free when applied appropriately.

Technical data:

Voltage: 230 V / 50 Hz Rating: 40 W Output max.: 140 g/min

Piston: chrome plated steel

Pump cylinder: special bronze

Varia nozzle adjustable: with ruby diamond insert

Nozzle extension: bent 45°

Container capacity: 700 ml

Net weight: 1.115 kg

Country of Origin: Switzerland





Spot Removal Gun KREBS TEX-4 Model: 9913/4 Spot Removal Gun KREBS TEX-4

The ideal spot removal apparatus for Dry-Cleaners. The KREBS TEX-4 is the only spot removal gun to spray warm soap solution thanks to an integrated heating element which is electronically controlled. Advantages: With Varia-nozzle (continiously adjustable from needle jet to mist - matching to the treated fabric Easy handling almost no training needed Maintenance-free (wearing parts easily exchangeable - unique service screw). Technical data: Voltage: 230 V / 50 Hz Rating: 40 W Heating element: 350 W Working temperature: approx. 80° C Output max.: 140 g/min Piston: chrome plated steel Pump cylinder: special bronze Varia nozzle adjustable: with ruby diamond insert Nozzle extension: bent 45° Container capacity: 550 ml Net weight: 2.0 kg Country of Origin: Switzerland

