



Jumru

Jumru®



Table of Contents

Hygrometer 2


Hygrometer



Electrode Socket

Model: 9845

Universal Electrode Socket, 150 x 45 mm.



Grooved Roller Electrode

Model: 9869

Only in connection with special cable 9846 and universal electrode socket 9845.


Grooved Roller Electrode, 65 x 40 mm dia for hanks or threads.



Measuring cable

Model: 9846

Measuring cable, approx. 100 cm of length.




Point Electrode

Model: 9841

Only in connection with special cable 9846 and universal electrode socket 9845.

Point Electrode, needle length of 25 mm, 8 needles.




Roller Electrode

Model: 9868

Only in connection with special cable 9846 and universal electrode socket 9845.

Roller Electrode, 60 x 40 mm dia. for textiles.



Textile Hygrometer

Model: 9840

Technical datas:

- Deviation of moisture indication ± 0.2 % Electrical
- deviation ± 0.1 % relating to absolute dial value.
- Dimensions: approx. 170 x 115 x 50 mm
- Weight: approx. 400 g.

Electronic Textile Hygrometer, small and handy, for universal use. For the power supply you need an international normed exchangeable 9-volt-battery. Moisture measuring bases on the principle of electric conductance, moisture and conductance being in reciprocal function to each other.

